### WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



### INTERNATIONAL APPLICATION PUBLISHED LINDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:	1 !	(11) International Publication Number: WO 00/48454
A01H 1/00	A1	(43) International Publication Date: 24 August 2000 (24.08.00)
<ul> <li>(21) International Application Number: PCT/USC</li> <li>(22) International Filing Date: 16 February 2000 (1</li> <li>(30) Priority Data: 09/251,953 17 February 1999 (17.02.99)</li> <li>(71) Applicant: NORTHLAND SEED &amp; GRAIN CORP. [462 Holly Avenue, St. Paul, MN 55102 (US).</li> <li>(72) Inventors: SHORTRIDGE, Peter; 461 – 2nd Street, on St. Croix, MN 55047 (US). DOUGHERTY Shea; 1500 Charles Avenue, St. Paul, MN 5510 DICKHUDT, Heather, 11679 Horizon Drive, Bu MN 55337 (US). LEAVITT, Kate; 5427 Sanibe Minnetonka, MN 55343 (US).</li> <li>(74) Agent: LUNDQUIST, Ronald, C.; Fish &amp; Richards P.A., 60 South Sixth Street, Suite 3300, Minneapo 55402 (US).</li> </ul>	(US/US , Marin Y, Kell O4 (US urnsvilled Drive	AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), DM, EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW) Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM) European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  Published  With international search report.  Before the expiration of the time limit for amending the

**GRAINS** 

### (57) Abstract

A method of creating and preserving the identity of non-GMO seeds, grains, and processed food products by selecting seeds which are known to contain non-GMO varietes, planting the non-GMO crop, inspecting grower's operation and machinery to certify that the operation is free of contamination prior to harvest, harvesting the crop, inspecting the processing facility to verify that its operation is free of contamination prior to harvest, tracking all containers holding non-GMO crops each time the crop is moved, and processing the non-GMO crops into containers for shipment where the containers possess tracking information.

### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

			<u> </u>					
AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia	
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia	
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal	
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland	
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD .	Chad	
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo	
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan	
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan	
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey	
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago	
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine	
BR	Brazil	IL.	Israel	MR	Mauritania	UG	Uganda	
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America	
CA	Canada	IT	<b>Italy</b>	MX	Mexico	UZ	Uzbekistan	
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam	
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia	
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe	
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand			
CM	Cameroon		Republic of Korea	PL	Poland			
CN	China	KR	Republic of Korea	PT	Portugal		•	
CU	Cuba	ΚZ	Kazakstan	RO	Romania			
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation			
DE	Germany	LI	Liechtenstein	SD	Sudan			
DK	Denmark	LK	Sri Lanka	SE	Sweden			
EE	Estonia	LR	Liberia	SG	Singapore			

10

15

20

25

30

35

### METHOD OF CREATING AND PRESERVING THE IDENTITY OF NON-GENETICALLY MODIFIED SEEDS AND GRAINS

### TECHNICAL FIELD

This invention relates in general to a method of creating and preserving the identity of non-genetically modified seeds, grains, and processed product created therefrom, and more particularly to a method of testing and certifying the identity of non-genetically modified seeds and grains at all steps in the planting and growing, processing and packaging, and component and product distribution to preserve the identity of the delivered product, as well as the corresponding product.

### BACKGROUND

It can be seen that there is a need for method of creating and preserving the identity of non-genetically modified seeds and grains. Over the past number of years, genetically modified and genetically engineered seeds and grains are becoming common place within the agriculture industry. The prevalence of these genetically altered products has given rise to a market for non-genetically modified seeds, grains, and processed products created therefrom.

It can also be seen that there is a need for a method to ensure that the non-genetically modified seeds, grains, and processed products are not contaminated during the process of bringing these products to market. The method of creating non-genetically modified seeds, grains, and processed grain products begins prior to the planting of a crop and continues throughout the cultivation and harvest of a crop. Once harvested, the non-genetically modified crop's processing, packaging, and

distribution must continue taking steps necessary to prevent contamination of the seeds and grains.

To date, no method of growing, harvesting, processing, packaging, and distributing non-genetically-modified seeds and grains utilizes a comprehensive process which encompasses the entire food production system from farms to supermarkets. Unfortunately, the production of non-genetically modified seeds, grains, and processed products requires such a comprehensive process if the consumer is to have confidence that food products made from non-genetically modified seeds, grains, and processed products have not been contaminated somewhere in the production process.

10

15

20

25

30

35

#### SUMMARY OF THE INVENTION

To overcome the limitations in the prior art described above, and to overcome other limitations that will become apparent upon reading and understanding the present specification, the present invention discloses a method of creating and preserving the identity of non-genetically modified seeds, grains, and processed grain products.

The present invention solves the above-described problems by providing a method of creating and preserving the identity of non-GMO seeds, grains, and processed food products by selecting seeds which are known to contain non-GMO varieties, planting the non-GMO crop, inspecting grower's operation and machinery to certify that the operation is free of contamination prior to harvest, harvesting the crop, inspecting the processing facility to verify that its operation is free of contamination prior to harvest, tracking all containers holding non-GMO crops each time the crop is moved, and processing the non-GMO crops into containers for shipment where the containers possess tracking information.

These and various other advantages and features of novelty which characterize the invention are pointed out with particularity in the claims annexed hereto and form a part hereof. However, for a better understanding of the invention, its advantages, and the objects obtained by its use, reference should be made to the drawings which form a further part hereof, and to accompanying descriptive matter, in which there are illustrated and described specific examples of an apparatus in accordance with the invention.

### BRIEF DESCRIPTION OF THE DRAWINGS

Referring now to the drawings in which like reference numbers represent corresponding parts throughout:

Fig. 1 illustrates a process flow chart for the method of creating and preserving the identity of non-genetically modified seeds and grains according to one example embodiment of the present invention for the steps prior to planting through crop harvest.

Fig. 2 illustrates a process flow chart for the method of creating and preserving the identity of non-genetically modified seeds and grains according to one example embodiment of the present invention for the steps from crop harvest through delivery of products to customers.

Fig. 3 illustrates an example application used for the seed certification process according to an embodiment of the present invention.

Fig. 4 illustrates an example DNA test results for the seed certification process according to an embodiment of the present invention.

10

15

20

25

30

35

Fig. 5 illustrates an example chart used for recording sample system per export shipment.

Fig. 6 is an example chart for non-GMO soybean storage chart according to one embodiment of the present invention.

Fig. 7A-F are example inspection chart according to an example embodiment of the present invention.

### **DETAILED DESCRIPTION**

In the following description of the exemplary embodiment, reference is made to the accompanying drawings which form a part hereof, and in which is shown by way of illustration the specific embodiment in which the invention may be practiced. It is to be understood that other embodiments may be utilized as structural changes may be made without departing from the scope of the present invention.

In general terms, the present invention relates to a method of creating and preserving the identity of non-genetically modified seeds, grains, and corresponding processed products utilizing testing, certification, and documentation of grains, seeds, and processed products throughout the entire growing production and distribution process. These procedures begin prior to planting, proceed through the growing and harvest of grains and seeds, and continue throughout the processing, packaging, and distribution of the grains and seeds.

Fig. 1 illustrates a process flow chart for the method of creating and preserving the identity of non-genetically modified seeds, grains, and processed products according to one example embodiment of the present invention for the steps prior to planting through crop harvest. The method begins with step 101 in which a potential grower enters into a contract with a seed and grain producer to plant, grow, and harvest a seed and grain crop according to the methods of the present invention. As part of the process of entering into a contract with the grower, the producer and grower participate in grower education to ensure that both parties understand the goals of the present invention as well as all of the necessary steps that must be followed to conform the crop growing process with the steps of the present invention.

Once under contract, the grower engages in a grower certification and verification process 102. The certification and verification step both ensures satisfactory compliance with the criteria of the present invention regarding the identification as selection of suitable acreage and generates sufficient documentation of compliance with the steps of the present invention necessary to provide customer confidence in the quality of the crop produced. As part of certification and

4

verification step 102, the grower verifies and documents the previous years crop for the identified acreage as well as its neighboring field crop to verify that no problematic isolation and related land issues exist for the identified acreage. These isolation and related land issues include, but are not limited to, plant variety, pollination and cross-pollination, previous crop and volunteer crop, and buffer strips. These issues can be addressed through, but not limited to, inspection, crop and soil tests, buffer strips for the prevention of cross-pollination and contamination, and affidavits. If these corrective steps do not satisfactorily eliminate the issue, the identified acreage is not used to grow a crop according to the present invention.

5

10

15

20

25

30

35

The grower also completes an application for field inspection 103. This application will include documenting the field history with maps and seed lot history for the past one or more years. The grower will provide complete documentation of seed source, equipment, and storage facilities with maps.

The grower also contracts to use only crop seed which meet the selection criteria of the present invention 107. The selected seed is a Non-GMO variety that is suitable for the land and growing conditions of the identified acreage. The grower, in cooperation with the producer, verify with a seed variety developer that the seed proposed for planting is an Identified Preserve (IP) variety developed from Non-GMO/Non-GEO germ plasm. The IP variety can be verified using plant characteristics such as plant hybrid, maturity, flower color, and leaf shape. In addition, other variety specific characteristics can also be used. The seed developer could be a private company that holds a patent 105, a University Seed Breeding Program 104, Private Laboratory, or similar seed source that utilizes traditional cross breeding to create new seed varieties 106.

The seed selection step 107 also may include a DNA level and application susceptibility test. These tests confirm that the actual supply of the selected seed variety was properly grown and conditioned to protect the integrity of the Non-GMO status. This verification would include inspecting the growers' records to verify where the seeds were obtained; how much seed was purchased; how many pounds per acre the variety requires for planting; how many acres were planted; final yield per acre; and verify that the proper amount of the selected variety of IP seed was purchased and used.

The verification step may also includes additional laboratory testing of the selected seed stock is performed to verify the seed stock is GMO free. These tests include an application susceptibility or detection test and a DNA level test. Satisfactory results from these tests would be influenced by labeling and testing protocols. For example, a two-tiered approach is one possible approach which may be used. For seeds, grains, and processed products which are labeled using language

such as "...may contain GMO products," the DNA level test results in the 1-5% range may be acceptable. For seeds, grains, and processed products labeled as "free of GMO products," a more stringent standard of 0.01-0.1% results may be required. These more stringent standards may present a technical challenge to testing accuracy of DNA testing laboratories. It is also envisioned that the specific levels may be determined by statutory and/or regulatory authorities for various labels used on the seeds, grains, and process products. Because these levels may vary by country, the testing performed on a particular lot of seeds, grains, and processed products would need to satisfy the requirements for the desired labeling in the country in which the lot is to be sold. Fig. 3 illustrates an example application used for the seed certification process according to an embodiment of the present invention. Fig. 4 illustrates an example DNA test results for the seed certification process according to an embodiment of the present invention.

Once the seed source is selected, the grower certification process may include a pre-planting field inspection 108 and corresponding equipment inspection 109. These inspections are performed by a qualified third-party inspection agency 120. The qualified inspection agency is an independent organization having the required expertise to determine plant purity in regards to varietal purity. The qualified inspection agency would also understand plant specific areas of potential GMO contamination that could occur during the growing season. For example, certain plants may have a greater concern with neighboring field crop variety due to cross-pollination, where other plants may not. A trained inspector would inspect plant characteristics to verify varietal purity. Any problem areas or fields could be rejected prior to harvest. This rejection would prevent contamination of the entire harvest before the crops are stored for shipment and processing. The trained inspector also makes basic yield estimates per field in order to assist in gauging the final quantities to be expected.

According to an alternate embodiment of the present invention, the grower may also contact USDA approved and/or IFOAM approved organic certifiers to inspect and certify the planting, growing, and processing of a crop. Such an activity would permit the grower to grow, and ultimately the producer to produce organic, non-GMO seeds, grains, and processed food products which satisfy all applicable regulatory standards to utilize an "organic" package labeling

The trained inspector would also verify that all equipment used in the identified acreage is being properly maintained to prevent possible product contamination. These inspections 109 may occur pre-planting and pre-harvest. If the grower owns his or her own equipment, the inspector verifies that it is not used on GMO fields. If the equipment is used on GMO fields, the inspector verifies that

6

proper clean-down steps are taken to prevent chances of contamination. These proper clean-down steps may include, but are not limited to, visual examination, sweeping or blowing out with air, flushing by harvesting a pass and discarding that yield. If the grower uses a contract service for any planting, cultivation, combining, applications, or harvesting activities, the inspector also verifies that these machines have been properly maintained as well. The inspection steps should include inspection of the trucks used to haul harvested product from the fields to storage bins as part of the equipment being inspected.

If a grower passes all of the pre-planting inspection steps, the grower is certified to produce a crop for a given season 110. The certified grower may now plant a crop using selected seeds 107. The grower records the number of bushels of the seeds used as part of planting step 111. During the growing season, the trained inspector 120 will again perform inspections of the fields 132. The inspector will once again verify the grower has taken all of the necessary steps to avoid contamination of the fields. At the appropriate time, the crop is harvested 135.

10

15

20

25

30

35

While the growing process occurs, the producer may enter into contracts with customers for the ultimate delivery of non-GMO seeds and grains 121. Should such a contract be executed, the customer may wish to visit and inspect the fields, growers, and plants used to produce the product 136. During these visits, the inspection results from the pre-planting inspections 108 and the pre-harvest inspections 132 may be viewed as well.

Prior to harvest, additional steps are taken to inspect and approve storage bins and related facilities 131. This process begins with the producer entering into a contract for dedicated storage for the non-GMO product such that 100% storage isolation is maintained. Third party verification prior to usage that the storage bins are dedicated, segregated, contracted, and properly clean and free of GMO product is performed. The harvested crop is tracked with quantities in and out documented using a lot number identification system 134. The lot number identification system tracks lots back to the field where the lot is grown, tracks quantities harvested from a given field, tracks all of the storage locations for a lot from the field to processing, and tracks the date when the lot is moved from a storage bin into a processing plant to prepare for shipment.

The inspection process described above may also be accomplished with a single inspection of the grower in an alternate embodiment of the present invention. According to this alternate embodiment, the grower enters into a contract to grow a desired crop after providing the producer with information which informs the producer that the particular fields being proposed for use by the grower will satisfy the pre-planting criteria (i.e. prior years crop, proper isolation and buffers

10

15

20

25

30

35

etc.). When the third party inspector arrives to inspect the fields during the growing season, the inspector verifies all of the information and documentation described above that is checked during the pre-planting inspection 109. The third party inspector also verifies the growers compliance with above-described post-planting/pre-harvest inspections 131 and 132. If either of these inspections reveal unsatisfactory results, the crop from the particular field is rejected.

Fig. 2 illustrates a process flow chart for the method of creating and preserving the identity of non-genetically modified seeds, grains, and processed products according to one example embodiment of the present invention for the steps from crop harvest through delivery of products to customers. While the example embodiment presented herein disclosed the process to be utilized by a processing plant that receives a crop that has just been harvested, the process may also be used in all subsequent processing of seeds and grains. For example, non-GMO soybeans may be processed initially to produce clean and bagged soybeans according to the present invention at an initial processing plant. A subsequent plant may process these soybeans into soy meal or soy oil according to the processing disclosed herein without deviating from the spirit and scope of the present invention. In such a case, the product tracking information must be contained throughout the entire processing operation. Additionally, the processing plant must satisfy the cleaning and storage handling requirements discussed herein.

Samples of the product 201 from each truckload from a field should be taken 202 and kept for immediate testing 203 and library sample purposes 204, 205. Clean truck affidavits 133 may be used both from field to storage bin, and from storage to processing plant to verify trucks are properly maintained and proper prevention of contamination has been maintained. In the event that any contamination is found, the corresponding portion of the product is rejected. Each storage bin is numbered and all incoming and outgoing activities records and submitted for inspection.

Additional samples are taken for testing and maintained from bin to processing plant into export-ready ocean container, tote, and bagging. These additional samples are submitted to different laboratories for both application susceptibility tests and DNA level testing. If contamination is found, a second verifying test is performed. If the second test confirms contamination, the product is rejected. Samples are taken and sub-divided into portions for testing, processing plant library sample, producer library sample, and customer review and approval.

Fig. 5 illustrates an example chart used for recording sample system per export shipment. Fig. 6 is an example chart for non-GMO soybean storage chart according to one embodiment of the present invention.

15

20

25

30

35

The harvested and tested crop is taken from bin storage 210 and processed according to customer specifications 212 to generate the deliverable product. Prior to processing of the crop, the processing plant is inspected for compliance with the requirements of the present invention. This inspection is performed by a qualified third party inspection agency such as a state seed and crop inspection agency. This inspection includes, but is not limited, to annual and spot inspections. In general, only processing plants certified by an appropriate industry specific quality designator as having superior quality control should be used. An example of an appropriate industry specific quality designator would be a plant that meets or exceeds the requirements to be a certified seed conditioner. The criteria utilized by this designator would include a set of general requirements, a set of machinery and equipment requirements, and a set of other storage related requirements. All three sets of requirements must be satisfied.

The general requirements begin with copies of all state and federal seed laws and certification requirements must be in the plant operator's possession. The plant operator must be in compliance with all of these laws and certification requirements. Each bag of certified seed must be identified with an identification number for the particular plant. This requirement can also be satisfied if certification tags are sewn into each seed bag. Finally, the plant must be inspected at least once a year to ensure compliance with all laws and regulations.

The machinery and equipment requirements include the use of an air-screen mill equipped with mechanical screen cleaners. The plant should possess on-site weighing and testing equipment necessary to meet its needs. Bag closing equipment should be present on-site if bagged seeds are handled. Compressed air or commercial vacuum cleaning systems must be present to clean equipment, the plant, and all storage containers between the processing of all lots.

The remaining requirements relate to requirements concerning pits, bins, legs, heads and distributors. All elevator pits must be cleanable. It is preferable that all pits possess a metal lining, although the pits must possess a securely fitting cover. Additionally, the valley angle within all pits should be at least 45 degrees.

All bins must be tightly constructed and easily cleanable. Hopper buttons must be made of metal or at least metal lined. All bins must possess a unique identification to permit the tracking of the storage of all seed and grain lots at all points in the storage, processing, and distribution process.

A screen mill must possess at least two legs: one for intake of unprocessed seeds and one for outgoing clean seed. A third leg is, however, recommended for screening only. Elevator boots should be raised at least eight

10

15

20

25

30

35

inches above the floor to permit them to be readily opened for cleaning. Plastic cups are optional for elevator legs. All distributors must possess and inspection door to permit easy cleaning. All spouting should be constructed of heavy gauge material and steeply angled. Flex spouting is prohibited. Rivets and bolts should not protrude into the spouts.

Use of the inspection and quality designator assures the producer and customer that the processing plant possess the ability and understanding of keeping lots and varieties separate, that the processing plant possess the skill of implementing proper clean-down procedures such as a plant, and that the processing plant possess the procedures to properly track lots being processed. With all of these procedures in place, the processing plant would be qualified to process the non-GMO product. Additionally, the processing plant must be capable of maintaining the non-GMO status of the product. To accomplish this task, the processing plant must be state of the art with regards to its equipment, tracking protocol, sampling procedures and the like. The processing plant must be able to clean its machinery and all storage facilities and containers to the highest quality specifications while being able to meet individual customer requirements. Fig. 7A-F are a quality inspection report example inspection report which may be used to verify that a processing plant meets the necessary quality requirements. The above requirements for a processing plant would apply both to processing plants working with bulk grain and to other value adding processing plants such as plants processing soy meal, soy oil crushing facilities, or flour mills.

The processing plant must also have the ability to pack the non-GMO products in several manners, such as bags, totes, bulk to ocean containers, rail cars, or trucks 220. Each package must posses a tracking mechanism to continue the non-GMO lot and tracking procedure used throughout the processing steps. In the case of bulk containers, this procedure may include a seal affixed to the container holding the non-GMO product where the seal referenced the container number. In the case of paper bags or totes, lip-printing, sewn tags or similar manner to affix a lot number system identifier would be attached to the package to facilitate the tracking of the product 221. From this tracking identifier, the field where the product was grown, the variety, storage, and related handling information should all be verifiable. In addition, all packaging must be verified as proper for food-purposes and free of potential to contaminate. From this step in the process, the product is delivered 222 to the value-added processing step 224, or directly to the customer 223, if the product is in its final level of processing for the particular customer in question. The product will ship the product with customer documentation including seal numbers on Bill of Lading and packing list 225. This additional documentation may include,

10

but is not limited to: lot codes, test results, quality certificates, phytosanitary certificates, etc.

5

10

15

As the harvested product is processed within the processing plant, samples are generated using automatic sampling equipment 213. These samples are bagged for further testing by the processor 214 and the producer 215. These samples may be tested for a DNA level test 218 and/or application susceptibility type GMO testing 212. These samples are also maintained within a library 204 in order to permit later testing, should a lot be found to be contaminated at a later date. These samples may also be sent to a customer for approval, as required 218.

The foregoing description of the exemplary embodiment of the invention has been presented for the purposes of illustration and description. It is not intended to be exhaustive or to limit the invention to the precise form disclosed. Many modifications and variations are possible in light of the above teaching. It is intended that the scope of the invention be limited not with this detailed description, but rather by the claims appended hereto.

### WHAT IS CLAIMED IS:

A method of creating and preserving the identity of non-genetically modified seeds, grains, and processed food products the method comprising:

selecting seeds from certified sources which are known to contain only nongenetically modified and non-genetically-engineered varieties;

planting the selected seeds to produce a non-GMO crop;

inspecting a grower operation and machinery to verify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to harvest;

10 harvesting the non-GMO crop;

> inspecting processing facility to verify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to harvest;

tracking all containers holding the non-GMO crop each time the crop is moved into and out of a storage container, the tracking includes maintaining the field in which the non-GMO crop was grown, each of the storage containers used to hold the non-GMO crop, and the date of all crop transfers; and

processing the non-GMO crops into containers for shipment, the containers possess tracking information which permits the product to be tracked to the field and containers used to produce the product.

20

15

5

The method according to claim 1, wherein the selecting seed step comprises: 2. confirming the origin of seeds from certified sources: verifying the identified preserve variety for the seeds; and testing the seeds for suitability.

25

- The method according to claim 2, wherein the verifying the identify 3. preserved variety step comprises verifying the plant hybrid, maturity, flower color, and leaf shape.
- The method according to claim 2, wherein the testing step comprises 30 4. performing a DNA level test and performing an application susceptibility test.
  - The method according to claim 1 wherein the inspecting the growers 5. operation comprises:
- 35 inspecting a candidate field for planting to certify that the candidate field is free from GMO contaminates prior to planting;

20

inspecting a grower operation and machinery again to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to planting;

inspecting a candidate field for planting to certify that the candidate field is free from GMO contaminates criteria during growing and prior to harvest;

inspecting a grower operation and machinery to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria during growing and prior to harvest; and

inspecting storage and transport containers to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to harvest.

6. The method according to claim 1 wherein the inspecting the growers operation comprises:

inspecting a candidate field for planting to certify that the candidate field is free from GMO contaminates criteria prior to harvest;

inspecting a grower operation and machinery to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to harvest; and

inspecting storage and transport containers to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to harvest;

wherein the inspection steps verify candidate field, machinery, and storage containers satisfy non-GMO criteria for a time period prior to planting through the inspection.

- 7. The method according to claim 6, wherein the inspection the candidate field step comprises inspecting field histories, inspecting seed lot histories, and inspecting for the presence of buffer strips to prevent cross-pollination and contamination.
- 8. The method according to claim 1, wherein the inspecting the processing facility step comprises:

verifying the processing plant possesses copies of state and federal laws and certification requirements;

verifying all certified seed bags are identified with a plant identifier; verifying the plant is inspected at least once a year;

verifying the operation of mechanical screen cleaners on all air-screen mills; testing the operation and accuracy of testing and weighing equipment; testing the operation of bag-closing equipment used to process bagged seed; verify the operation and use of cleaning equipment to clean all equipment between the processing of each lot; and

verify the use of proper storage facilities for all processed lots.

- 5 9. The method according to claim 8, wherein the cleaning equipment used to clean all equipment comprises cleaning equipment which operates using compressed air.
- 10. The method according to claim 8, wherein the cleaning equipment used to clean all equipment comprises cleaning equipment which operates using commercial vacuum equipment.
  - 11. The method according to claim 8, wherein proper storage facilities comprise: elevator pits and bins;
- the elevator pits are cleanable, metal-lined, possess a valley having at least a 45 degree angle, and possess a securely fitting cover; and

the bins are tightly constructed, are easily cleaned, possess metal bottoms, and possess a unique bin identifier.

20 12. A method of creating and preserving the identity of non-genetically modified seeds and grains, the method comprising:

selecting seeds from certified sources which are known to contain only nongenetically modified and non-genetically-engineered varieties;

inspecting a candidate field for planting to certify that the candidate field is free from GMO contaminates prior to planting;

inspecting a grower operation and machinery again to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to planting;

planting the selected seeds to produce a non-GMO crop;

inspecting a candidate field for planting to certify that the candidate field is free from GMO contaminates criteria during growing and prior to harvest;

inspecting a grower operation and machinery to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria during growing and prior to harvest;

35 harvesting the non-GMO crop;

25

30

inspecting storage and transport containers to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to harvest;

inspecting processing facility to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to harvest;

tracking all containers holding the non-GMO crop each time the crop is moved into and out of a storage container, the tracking includes maintaining the field in which the non-GMO crop was grown, each of the storage containers used to hold the non-GMO crop, and the date and time of all crop transfers;

processing the non-GMO crops into containers for shipment, the containers possess seal and tracking information which permits the product to be tracked to the field and containers used to produce the product; and

shipping the product to a customer.

13. Non-genetically modified seeds, grains, and processed food products created and the identity preserved by the process of:

selecting seeds from certified sources which are known to contain only nongenetically modified and non-genetically-engineered varieties;

planting the selected seeds to produce a non-GMO crop;

inspecting a grower operation and machinery to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to harvest;

20 harvesting the non-GMO crop;

25

30

35

inspecting processing facility to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to harvest;

tracking all containers holding the non-GMO crop each time the crop is moved into and out of a storage container, the tracking includes maintaining the field in which the non-GMO crop was grown, each of the storage containers used to hold the non-GMO crop, and the date and time of all crop transfers; and

processing the non-GMO crops into containers for shipment, the containers possess tracking information which permits the product to be tracked to the field and containers used to produce the product.

14. The product according to claim 13, wherein the selecting seed step comprises:

confirming the origin of seeds from certified sources: verifying the identified preserve variety for the seeds; and testing the seeds for suitability.

- 15. The product according to claim 14, wherein the verifying the identified preserve variety step comprises verifying the plant hybrid, maturity, flower color, and leaf shape.
- 5 16. The product according to claim 14, wherein the testing step comprises performing a DNA level test and performing an application susceptibility test.

10

15

20

25

30

35

17. The product according to claim 13, wherein the inspecting the growers operation comprises:

inspecting a candidate field for planting to certify that the candidate field is free from GMO contaminates prior to planting;

inspecting a grower operation and machinery again to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to planting;

inspecting a candidate field for planting to certify that the candidate field is free from GMO contaminates criteria during growing and prior to harvest;

inspecting a grower operation and machinery to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria during growing and prior to harvest; and

inspecting storage and transport containers to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to harvest.

18. The product according to claim 13, wherein the inspecting the growers operation comprises:

inspecting a candidate field for planting to certify that the candidate field is free from GMO contaminates criteria prior to harvest;

inspecting a grower operation and machinery to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to harvest; and

inspecting storage and transport containers to certify that the operation is free of contaminates and conforms to processing and cleanliness criteria prior to harvest;

wherein the inspection steps verify candidate field, machinery, and storage containers satisfy non-GMO criteria for a time period prior to planting through the inspection.

19. The product according to claim 13, wherein the inspection the candidate field step comprises inspecting field histories, inspecting seed lot histories, and inspecting for the presence of buffer strips to prevent cross-pollination and contamination.

10

25

20. The product according to claim 13, wherein the inspecting the processing facility step comprises:

verifying the processing plant possesses copies of state and federal laws and certification requirements;

verifying all certified seed bags are identified with a plant identifier;
verifying the plant is inspected at least once a year;
verifying the operation of mechanical screen cleaners on all air-screen mills;
testing the operation and accuracy of testing and weighing equipment;
testing the operation of bag-closing equipment used to process bagged seed;
verify the operation and use of cleaning equipment to clean all equipment
between the processing of each lot; and

verify the use of proper storage facilities for all processed lots.

- 21. The product according to claim 20, wherein the cleaning equipment used to clean all equipment comprises cleaning equipment which operates using compressed air.
- The product according to claim 20, wherein the cleaning equipment used to clean all equipment comprises cleaning equipment which operates using commercial
   vacuum equipment.
  - 23. The product according to claim 20, wherein proper storage facilities comprise:


elevator pits and bins;

the elevator pits are cleanable, metal-lined, possess a valley having at least a 45 degree angle, and possess a securely fitting cover; and


the bins are tightly constructed, are easily cleaned, possess metal bottoms, and possess a unique bin identifier.

PCT/US00/03957





SUBSTITUTE SHEET (RULE 26)



3/12

### MINNESOTA CROP IMPROVEMENT ASSOCIATION

	`					
Member No	County		GROW	<u>/ER</u>		County
Name			Name_			
A 23			(Please F Addres	•		
Address	Route, Box or Street Number		Addres		Route, Box	or Street Number
	City State	Zip			ity	State Zip
Telephone (	City State	•	Telepho		•	
Residence: T	ownshipSec.1	No	Reside	nce: Tow	nship	Sec.No
	and fields to be certified.					
		INS"	TRUCTIO	ONS		
<ol> <li>Use a sepa</li> <li>Apply before</li> </ol>	rate application blank for each gr ore the dates given. A late applica	tion fee will be cha	rged for ap	plications i	eceived afte	r these dates.
List each f Be sure to	All crops except Soybeans A Soybeans APPLY BEFORE field seperately.  Sign your application and send or tag or other proof of seed source, tion of field and indicate field nur	riginal copy to MCL See "Minnesota Se	A, keep sec ed Certific	cond copy t	for your reco	rds.
List each f Be sure to	ield seperately. sign your application and send or	riginal copy to MCI. See "Minnesota Sember on MAP ON I	A, keep sec ed Certific	cond copy t	for your reco	ords. IDENTITY OF SEED PLANTED
Exp. List each for the sure to form the	ield seperately. sign your application and send or tag or other proof of seed source, tion of field and indicate field nur	riginal copy to MCI. See "Minnesota Sember on MAP ON I	A, keep sec ed Certific BACK OF	cond copy is cation Star WHITE (  APPROX. DATE	for your recondards." COPY.  PREVIOUS CROP IN	
Exp. List each for the sure to form the	ield seperately. sign your application and send or tag or other proof of seed source, tion of field and indicate field nur	riginal copy to MCI. See "Minnesota Sember on MAP ON I	A, keep sec ed Certific BACK OF	cond copy is cation Star WHITE (  APPROX. DATE	for your recondards." COPY.  PREVIOUS CROP IN	
Exp. List each for the sure to form the	ield seperately. sign your application and send or tag or other proof of seed source, tion of field and indicate field nur	riginal copy to MCI. See "Minnesota Sember on MAP ON I	A, keep sec ed Certific BACK OF	cond copy is cation Star WHITE (  APPROX. DATE	for your recondards." COPY.  PREVIOUS CROP IN	
E. List each for Be sure to be Enclose a for Show local FIELD NO.	ield seperately. sign your application and send or tag or other proof of seed source, tion of field and indicate field nur	riginal copy to MCI. See "Minnesota Sember on MAP ON I	A, keep sec ed Certific BACK OF	cond copy is cation Star WHITE (  APPROX. DATE	for your recondards." COPY.  PREVIOUS CROP IN	
Exp. List each for the sure to form the	ield seperately. sign your application and send or tag or other proof of seed source, tion of field and indicate field nur	riginal copy to MCI. See "Minnesota Sember on MAP ON I	A, keep sec ed Certific BACK OF NO. OF	cond copy is cation Star WHITE (  APPROX. DATE	for your recondards." COPY.  PREVIOUS CROP IN	
E. List each for Be sure to be Enclose a for Show local FIELD NO.	ield seperately. sign your application and send or tag or other proof of seed source, tion of field and indicate field nur	riginal copy to MCI. See "Minnesota Sember on MAP ON I	A, keep sec ed Certific BACK OF NO. OF	cond copy is cation Star WHITE (  APPROX. DATE	for your recondards." COPY.  PREVIOUS CROP IN	
E. List each for Be sure to be Enclose a for Show local FIELD NO.	ield seperately. sign your application and send or tag or other proof of seed source, tion of field and indicate field nur	riginal copy to MCI. See "Minnesota Sember on MAP ON I	A, keep sec ed Certific BACK OF NO. OF	cond copy is cation Star WHITE (  APPROX. DATE	for your recondards." COPY.  PREVIOUS CROP IN	
E. List each for Be sure to be Enclose a for Show local FIELD NO.	ield seperately. sign your application and send or tag or other proof of seed source, tion of field and indicate field nur	riginal copy to MCI. See "Minnesota Sember on MAP ON I	A, keep sec ed Certific BACK OF NO. OF	cond copy is cation Star WHITE (  APPROX. DATE	for your recondards." COPY.  PREVIOUS CROP IN	
E. List each for Be sure to be Enclose a for Show local FIELD NO.	ield seperately. sign your application and send or tag or other proof of seed source, tion of field and indicate field nur	riginal copy to MCI. See "Minnesota Sember on MAP ON I	A, keep sec ed Certific BACK OF NO. OF	cond copy is cation Star WHITE (  APPROX. DATE	for your recondards." COPY.  PREVIOUS CROP IN	
E. List each for Be sure to be Enclose a for Show local FIELD NO.	ield seperately. sign your application and send or tag or other proof of seed source, tion of field and indicate field nur	riginal copy to MCI. See "Minnesota Sember on MAP ON I	A, keep sec ed Certific BACK OF NO. OF	cond copy is cation Star WHITE (  APPROX. DATE	for your recondards." COPY.  PREVIOUS CROP IN	
E. List each for Be sure to be Enclose a for Show local FIELD NO.	ield seperately. sign your application and send or tag or other proof of seed source, tion of field and indicate field nur	riginal copy to MCI. See "Minnesota Sember on MAP ON I	A, keep sec ed Certific BACK OF NO. OF	cond copy is cation Star WHITE (  APPROX. DATE	for your recondards." COPY.  PREVIOUS CROP IN	

The undersigned affirms that standards, regulations and procedures published by the Minnesota Crop Improvement Association will be followed in producing, processing and handling seed from the fields included in this application.

Signature	of	Appl	icant
-----------	----	------	-------

4/12

### Fig. 4

## GENETIC ID Inc. $^{\scriptscriptstyle\mathsf{TM}}$

Genetic Analysis for the Food Industry

• 500 North Third Street, Suite 208 • Fairfield, Iowa 52556 USA • Tel 515-472-9979 • Fax 515info@genetic-id.com www.genetic-id.com

FAX TRANSMISSION

Page 1 of 1

### LABORATORY ASSAY REPORT

Company: Northland Seed Corporation

Attn: Kate Leavitt

Fax: 612-221-0856

Date of Report: September 16, 1998

Date Sample(s) Received: September 15, 1998

Total Samples Processed: 1

GID Sample Code: 091598-VP
Customer Sample ID: JML-NS-10
Sample Type: soybeans
Sample Weight: 2 lbs.
Amount of genetically modified material in sample within a confidence interval of ten percent:

\_\_\_\_\_ Greater than 1%
\_\_\_\_\_ Less than 1.0% and greater than or equal to 0.1%
\_\_\_\_\_ Negative at the operational limit of detection of less than 0.1%

Fig. 5

Field#				•	
Bin#					
Weight Test Code					
Weight					
Seal#					
Container #					

Submitted by

NON-GMO SOYBEAN STORAGE CASEY & JON MILLER

5,460.27       3,051.54         5,708.21       3,051.54         881.57       881.57         5,329.74       6,421.82         5,233.46       5,656.60	10,076 5,460 5,706 5,329	238.70 154.70 146.60 72.70 36.80 145.80 158.00 153.30	9091 P-9071 9091 P-9071 P-9071 9091 P-9091 9091 9091 9091	Hanson Morron Hanson North Jinx 60 Jinx 1/2 Kleins 1/4 Tintah Tordsons Rex's 40 Rex's 40 Mootys North Section 7 Viponds Maudal
	10,076 5,46( 5,706 5,326	238.70 154.70 146.60 72.70 36.80 145.80 153.30	12   13   14   15   15   15   15   15   15   15	in North  North  1/2  1/4  Ins  North  S North  in 7
	10,076 5,460 5,706 5,326	238.70 154.70 146.60 72.70 36.80 145.80 158.00		on Morth S0 172 S 1/4 h Sons Sons S 40 S Home ys North
	10,076 5,460 5,706 5,329	238.70 154.70 146.60 72.70 36.80 145.80	12 12 15 15 1	on Morth S0 I72 S 1/4 Sons Sons Home
	10,076	238.70 154.70 146.60 72.70 36.80	9091 P-9071 9091 P-9071 9091 P-9091	son worten son North 60 172 Is 1/4 h Sons s 40 s Home
	10,078 5,460 5,708	238.70 154.70 146.60 72.70 36.80	9091 P-9071 9091 P-9071 9091 P-9091	son worton son North 60 1/2 ns 1/4 ah Isons 's 40
	10,078 5,460 5,708	238.70 238.70 154.70 146.60	9091 P-9071 9091 P-9071	son worron son North 60 1/2 ns 1/4 ah
	10,078 5,460 5,708	238.70 154.70 146.60	9091 P-9071 9091 P-9071	Ison worton Ison North 60 1/2 ns 1/4 ah
60.27	10,078	238.70 154.70	9091 P-9071 9091	nson worton nson North x 60 x 1/2 ins 1/4
	10,078	238.70	9091 P-9071	nson worth x 60 x 1/2
0,078.47		UC. /C	9091	nson Morth nson North x 60
2,149.34	2,149	00 74		nson Morth
3,131.92		153.60	9091	ทรงท เขตนดก
		87.00	9091	A Acres
4,069.85		147.00	9091	Hansons East
2,110.07		50.00	9091	Dons East
6,996.23	966'9	154.40	9091	Browns
9,294.42	19,29	589.80	P-9071	Battlins
3,607.91	3,60	75.50	P-9071	Swansons
00.91	10,000.91	298.20	9071	Ostensons
1,150.22		72.40	Toyo-Pro	Lake
5,707.80		161.60	Toyo-Pro	Julies
7,401.81	7,40	150.40	9091	nson East
7,309.75	7,309	149.70	9091	Johnson West
4,723.88 970.65	4,723	152.50	9091	Gromsies
7,193.47		231.70	Toyo-Pro	Ennens/Pettersons
33.91	5,633.91	155.60	9071	Deitzs
9,477.94		313.00	Toyo-Pro	Beyers
7,015.42		161.20	P-9091	Ididə
				Rallarde

Fig. 6

7/12 .

## Fig. 7A

### INSPECTOR'S REPORT FOR APPROVING SEED CONDITIONING PLANT

	Date of Inspection	
Plant Name	Plant	No
Address		Phone No.
Manager	Years experience	
Mill Operator	Years experience	
Years of Operation	Years approved	
Approved for		
		RATING
Does plant keep required records?		
Does plant file required reports promptly?		
Does plant keep processed and unprocessed	samples of seed?	
Does plant identify each bag of cleaned see	d with a tab or stencil?	
How are samples taken? Mill Bagge	r Probe	
What lot numbering system is used?	······································	
Does plant use sequence and appointment of	leaning?	
Is there complete cleanup between lots and	varieties?	
Is required and recommended maintenance	done from year to year?	

# 8/12 Fig. 7B

EQUIPMENT	EVALUATION	RATING
l		_
Model		- -
2	Condition of Machine, accessories and	
2		
Model		<del>-</del> 
3		
Model		
4	Condition of Machine, accessories and	
Make		<del>-</del> - -

9/12

## Fig. 7C

### **EQUIPMENT EVALUATION**

Equipment (cont)	Manufacturer	Model	Condition Evaluation
Spiral			
Rice Mill			
Debearder	·		
Asperator			
Scarifier			
Bean Ladder			
Electro Color Sorter			
Bag Closer			
Auto. Bagging Scale			
Bagging Scale			
Bulk Scale			
Air Compressor			
Vacuum Cleaner			
In Line Vacuum			
Tag Printing Equipment			
Small Scales			
Hand Testing Screens			
Moister Tester			
Dockage Scales			
Bushel Weight Tester			
Bin Probe			
Additional Equipment	·		
,			

# 10/12 Fig. 7Ф

PLANT CONSTRUCTION	EVALUATION RATING
PIT Number Common or separate	PIT Condition Accessibility Is there a cover for the pit?
LEGS -BOOTS -HEADS Number	LEGS -BOOTS -HEADS  Condition of legs and cups
Common or separate	Are there spacers behind the cups?
	Boot condition Boot accessibility
	Head condition
	Head accessibility
SPOUTS Number	SPOUTS Condition
DISTRIBUTER Make	DISTRIBUTER  Condition
Number	Condition of gasket
Type (3 way 6 way etc.)	Accessibility of Inspection Door
	Cleanliness inside
	Proper adjustment
BINS Type of bins	BINS  Condition of inside bin walls
Number of bins	Are bins numbered?
Capacity of bins	Are bins covered?
	General cleanliness of the following:  Mill Room  Basement  Head house

SUBSTITUTE SHEET (RULE 26)

# 11/12 Fig. 7E PLANT INSPECTION SUMMARY AND ANNUAL REPORT

Plant Name		Addr	ess	
Plant Manager				
Rating	Ratings are base construction add ratings.	d on individua ed together an	l ratings for equipm d divided by the tot	ent and plant al number of
Scales: 1 = Po		3 = Good	4 = Very Good	5 = Excellent
Equipment Repairs or Ir	nprovements Needed	<u>d:</u>	<u>.                                    </u>	
				<u></u>
	Improvements Need			
Construction Repairs or	Improvements iveed	<u>eu.</u>		
Operation changes sugg	ested:			
<u></u>	-			
			•	
Changes Made In Past Y	ears:	<u></u>		
***************************************				
Tag Printing Privileges:	: Yes No		On Hand: Reg	
			ears:	
Date	Inspec	ctor	,	

Rating on Above

12/12

Fig. 7.9

OPTIONAL

Cleaning Performance Record

	Reason			·	
No. Lots	Rejected				
1	Cleaned				
	Crop				

SUBSTITUTE SHEET (RULE 26)

### INTERNATIONAL SEARCH REPORT

Inte onal Application No PCT/US 00/03957

A. CLASSIFICATION OF SUBJECT MATTER					
IPC 7 A01H1/00					
According to	International Patent Classification (IPC) or to both national classification	ation and IPC			
	SEARCHED				
Minimum do	cumentation searched (classification system followed by classification A01H	on symbols)			
11107	AUTH				
	•				
Documentat	tion searched other than minimum documentation to the extent that s	such documents are included in the lields so	earched		
Electronic d	ata base consulted during the international search (name of data bas	se and, where practical, search terms used	)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT  Category Citation of document, with indication, where appropriate, of the relevant passages  Relevant to claim			Relevant to claim No.		
Category °	Challott of document, with tradealors, where appropriate, or the text	ovan passages	TOO VAN TO CAME 140.		
χ	"Controlling CMO contamination in the		1-7,		
^			12-23		
	GENETIC-ID, 'Online! - 1998 XP002139751				
	Retrieved from the Internet:				
	<pre><url:http: <="" certidcert="" pre="" www.genetic-id.com=""></url:http:></pre>				
	contamination.htm> 'retrieved on 2000-06-07!				
	page 2, right-hand column, paragr	aphs 1-3			
	page 3, right-hand column, paragraphs 1-3				
	page 5, paragraph 3				
		-/			
]		-/			
		Ų.			
i		·			
	•				
]	· ·				
Y Further documents are listed in the continuation of box C. Patent family members are listed in annex.					
* Special categories of cited documents:  T* later document published after the international filing date or priority date and not in conflict with the application but					
	ent defining the general state of the art which is not lered to be of particular relevance	cited to understand the principle or the			
"E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention					
filing date  cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone.			cument is taken alone		
which is cited to establish the publication date of another  "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the					
	ent referring to an oral disclosure, use, exhibition or means	document is combined with one or mo ments, such combination being obvious			
"P" document published prior to the international filing date but later than the priority date claimed "a" document member of the same patent family					
	Date of the actual completion of the International search  Date of mailing of the international search report				
Suit of the dealer companies of the anomalous source.					
9 June 2000 29/06/2000					
Name and mailing address of the ISA Authorized officer					
European Patent Office, P.B. 5818 Patentiaan 2					
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 eponl, Fay: (-31-70) 340-3046 Fay: All-201 340-3046				
I .	Fax: (+31-70) 340-3016	1			

### INTERNATIONAL SEARCH REPORT

Inte. onal Application No PCT/US 00/03957

···	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to daim No.
L	"GE-Genetic ID is establishing a European sales organisation" WWW.GENE.CH, 'Online! - 1998 XP002139752 Retrieved from the Internet: <url:http: 1998="" dec="" info4action="" msg00004.html="" www.gene.ch=""> 'retrieved on 2000-06-07! the whole document</url:http:>	1-23
L	"History of Genetic ID" GENETIC-ID, 'Online! XP002139753 Retrieved from the Internet: <url:http: about="" histo="" ry.htm="" www.genetic-id.com=""> 'retrieved on 2000-06-07! page 1, paragraph 1 - paragraph 2</url:http:>	1-23
A	"Five components of Certification" GENETIC-ID, 'Online! XP002139754 Retrieved from the Internet: <url:http: 5components.htm="" certidcert="" www.genetic-id.com=""> 'retrieved on 2000-06-07! the whole document</url:http:>	1-23
Ţ	"Certification of non-GE Foods" MOTHERS FOR NATURAL LAW, 'Online! XP002139864 Retrieved from the Internet: <url:http: -industry="" ce="" rtification.html="" www.safe-food.org=""> 'retrieved on 2000-05-31! the whole document</url:http:>	1-23